

	Application No.	Applicant(s)	
	10/702,165	LO ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Bradley K Smith	2824	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatio GHTS. This application is subject t	oplication. If not included n will be mailed in due course. THIS	ve
1. This communication is responsive to			
2. ☑ The allowed claim(s) is/are <u>15-27</u> .			
3. $igstyle$ The drawings filed on <u>04 November 2003</u> are accepted by	the Examiner.		
4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on oted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submited in INFORMAL PATENT APPLICATION (PTO-152) which give (a) including changes required by the Notice of Draftsperson (a) hereto or 2) to Paper No./Mail Date (b) A corrected Drawlings required by the attached Examiner's Paper No./Mail Date (b) Including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	been received. been received in Application No cuments have been received in this of this communication to file a reply ENT of this application. tted. Note the attached EXAMINER is reason(s) why the oath or declarate to be submitted. on's Patent Drawing Review (PTO c Amendment / Comment or in the C s Amendment / Comment or in the C s Af(c)) should be written on the drawing header according to 37 CFR 1.1216 sit of BIOLOGICAL MATERIAL	national stage application from the complying with the requirements at SAMENDMENT or NOTICE OF ation is deficient. -948) attached Office action of the back) of (d). must be submitted. Note the	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☒ Examiner's Amendo	te ment/Comment ent of Reasons for Allowance	

Application/Control Number: 10/702,165 Page 2

Art Unit: 2824

DETAILED ACTION

Drawings

1. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the current drawing are informal. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

Allowable Subject Matter

- 2. Claims 15-27 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art of record neither teaches nor suggest providing a substrate having a surface with a rms surface roughness of less than about 1.0 angstrom forming on the surface of the substrate a calibration layer having a thickness of about the same thickness as a layer to be measured.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Application/Control Number: 10/702,165 Page 3

Art Unit: 2824

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Tortonese et al. (US pregrant publication 2003/0058437) disclose submicron dimensional calibration. Lee et al. (US Patent 6,710,889) disclose the a method for improved dielectric layer metrology calibration.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley K Smith whose telephone number is (571) 272-1884. The examiner can normally be reached on 10-6 Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Elms can be reached on (571) 272-1869. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MICHAEL S. LEBENTRITT
PRIMARY EXAMINER

BKS